# ENTERPRISE INFRASTRUCTURE SOLUTIONS (EIS) ACQUISITION

### Contract No. GS00Q17NSD3007 August 13, 2019

Submitted by:

MetTel General Services Administration

55 Water Street, 32<sup>nd</sup> FI. Office of Integrated

New York, NY 10041 Technology Services

1800 F St., NW

Submitted to:

Washington, DC 20405


### Volume 2 Management Volume

Attachment 4 EIS Services Verification Test Plan



**Disclosure of Data Legend:** This proposal includes data that shall not be disclosed outside the Government and shall not be duplicated, used, or disclosed – in whole or in part – for any purpose other than to evaluate this proposal. If, however, a contract is awarded to this offeror as a result of – or in connection with – the submission of this data, the Government shall have the right to duplicate, use, or disclose the data to the extent provided in the resulting contract. This restriction does not limit the Government's right to use information contained in this data if it is obtained from another source without restriction. The data subject to this restriction is contained in all sheets of this submission.


**Freedom of Information Act Exclusion:** This document contains trade secrets and commercial or financial information of the Company which is privileged or confidential within the meaning of the Freedom of Information Act 5 USC 552(b)(4). Accordingly, such data shall not be disclosed outside the Government and shall not be duplicated, used, or disclosed in whole or in part for any purpose other than to evaluate this proposal.






#### **TABLE OF CONTENTS**

A4.1	INTRODUCTION	1
A4.2	METTEL'S TESTING METHODOLOGY	2
A4.2.1	GENERAL APPROACH	2
A4.2.2	TEST DATA SETS	4
A4.2.3	SERVICES ACCEPTANCE	4
A4.2.4	DELIVERABLES	6
A4.3	TESTING APPROACH AND METHODOLOGY	7
A4.3.1	VIRTUAL PRIVATE NETWORK SERVICE (VPNS) – TESTING	
	APPROACH AND METHODOLOGY	7
A4.3.2	ETHERNET TRANSPORT SERVICE (ETS) – TESTING	
	APPROACH AND METHODOLOGY	8
A4.3.3	INTERNET PROTOCOL SERVICE (IPS) – TESTING APPROACH	
	AND METHODOLOGY	11
A4.3.4	INTERNET PROTOCOL VOICE SERVICE (IPVS) – TESTING	
	APPROACH AND METHODOLOGY	12
A4.3.5	CIRCUIT SWITCHED VOICE SERVICE (CSVS) – TESTING	
	APPROACH AND METHODOLOGY	13
A4.3.6	COLOCATED HOSTING SERVICE (CHS) – TESTING	
	APPROACH AND METHODOLOGY	14
A4.3.7	WIRELESS SERVICE (WS) – TESTING APPROACH AND	
	METHODOLOGY	15
A4.3.8	MANAGED NETWORK SERVICE (MNS) – TESTING APPROACH	
	AND METHODOLOGY	15
A4.3.9	UNIFIED COMMUNICATION SERVICE (UCS) – TESTING	
	APPROACH AND METHODOLOGY	16
A4.3.10	MANAGED TRUSTED INTERNET PROTOCOL SERVICE (MTIPS)	
	- TESTING APPROACH AND METHODOLOGY	17
A4.3.11	MANAGED SECURITY SERVICE (MSS) – TESTING APPROACH	
	AND METHODOLOGY	18





A4.3.12	MANAGED MOBILITY SERVICE (MMS) – TESTING APPROACH	
	AND METHODOLOGY	19
A4.3.13	DHS INTRUSION PREVENTION SECURITY SERVICE (IPSS) -	
	TESTING APPROACH AND METHODOLOGY	19
A4.3.14	ACCESS ARRANGEMENTS (AA) – TESTING APPROACH AND	
	METHODOLOGY	20
A4.3.15	SERVICE RELATED EQUIPMENT (SRE) – TESTING APPROACH	
	AND METHODOLOGY	20
A4.3.16	SERVICE RELATED LABOR (SRL) – TESTING APPROACH AND	
	METHODOLOGY	20
A4.3.17	CABLE AND WIRING (CW) – TESTING APPROACH AND	
	METHODOLOGY	21
A4.3.18	TOLL FREE SERVICE (TFS) – TESTING APPROACH AND	
	METHODOLOGY ERROR! BOOKMARK NOT DEI	FINED.
A4.3.19	CIRCUIT SWITCHED DATA SERVICE (CSDS) – TESTING	
	APPROACH AND METHODOLOGY ERROR! BOOKMAR	K NOT
	DEFINED.	
A4.3.20	AUDIO CONFERENCING SERVICE (ACS) – TESTING	
	APPROACH AND METHODOLOGY ERROR! BOOKMAR	K NOT
	DEFINED.	
A4.3.21	PRIVATE LINE SERVICE (PLS) – TESTING APPROACH AND	
	METHODOLOGY ERROR! BOOKMARK NOT DEI	FINED.
A4.3.22	OPTICAL WAVE SERVICE (OWS) – TESTING APPROACH AND	
	METHODOLOGY ERROR! BOOKMARK NOT DEI	FINED.
A4.3.23	SYNCHRONOUS OPTICAL NETWORK SERVICE (SONETS) -	
	TESTING APPROACH AND METHODOLOGY	25
A4.3.24	DARK FIBER SERVICE (DFS) – TESTING APPROACH AND	
	METHODOLOGY	26
A4.4	TEST CASES	27
A4.4.1	VPNS SERVICE – TEST CASES	27
A4.4.2	ETHERNET TRANSPORT SERVICE (ETS) - TEST CASES	27





A4.4.2.1	Ethernet Private Line Service (E-Line) – Test Cases	27
A4.4.2.2	Ethernet Private LAN (E-LAN) Services – Test Cases	28
A4.4.3	INTERNET PROTOCOL SERVICE (IPS) – TEST CASES	30
A4.4.4	IP VOICE SERVICE (IPVS) – TEST CASES	30
A4.4.5	CIRCUIT SWITCHED VOICE SERVICE (CSVS) – TEST CASES	33
A4.4.6	COLOCATED HOSTING SERVICE (CHS) – TEST CASES	35
A4.4.7	WIRELESS SERVICE – TEST CASES	36
A4.4.8	MANAGED NETWORK SERVICE (MNS) – TEST CASES	37
A4.4.9	UNIFIED COMMUNICATION SERVICE (UCS) – TEST CASES	38
A4.4.10	MANAGED TRUSTED INTERNET PROTOCOL SERVICE (MTIPS)	
	- TEST CASES	40
A4.4.11	MANAGED SECURITY SERVICE (MSS) – TEST CASES	41
A4.4.12	MANAGED MOBILITY SERVICE (MMS) – TEST CASES	43
A4.4.13	DHS INTRUSION PREVENTION SECURITY SERVICE (IPSS) -	
	TEST CASES	47
A4.4.14	TOLL FREE SERVICE (TFS) – TEST CASES	49
A4.4.15	CIRCUIT SWITCHED DATA SERVICE – TEST CASES	50
A4.4.16	AUDIO CONFERENCING SERVICE – TEST CASES	53
A4.4.17	PRIVATE LINE SERVICE (PLS) – TEST CASES	54
A4.4.18	OPTICAL WAVE SERVICE (OWS) – TEST CASES	55
A4.4.19 SY	YNCHRONOUS OPTICAL NETWORK SERVICE (SONETS) – TEST	
	<u>CASES</u>	55
A4.4.20 DA	ARK FIBER SERVICES (DFS) – TEST CASES	55
	A4.4.2.2 A4.4.3 A4.4.4 A4.4.5 A4.4.6 A4.4.7 A4.4.8 A4.4.9 A4.4.10  A4.4.11 A4.4.12 A4.4.13  A4.4.14 A4.4.15 A4.4.16 A4.4.17 A4.4.18 A4.4.19 SY	A4.4.2.2 Ethernet Private LAN (E-LAN) Services – Test Cases

#### **LIST OF EXHIBITS**

Exhibit A4-2. MetTel's Services Testing Process	2
Exhibit A4-3. Outcomes of Testing Results	5
Exhibit A4-4. Testing Approach and Methodology	7
Exhibit A4-5. Testing Approach and Methodology	8

Enterprise Infrastructure Solutions (EIS)

2-A4-iv






Exhibit A4-6. Testing Approach and Methodology	10
Exhibit A4-7. Testing Approach and Methodology	11
Exhibit A4-8. Testing Approach and Methodology	12
Exhibit A4-9. Testing Approach and Methodology	13
Exhibit A4-10. Testing Approach and Methodology	14
Exhibit A4-11. Testing Approach and Methodology	15
Exhibit A4-12. Testing Approach and Methodology	15
Exhibit A4-13. Testing Approach and Methodology	16
Exhibit A4-14. Testing Approach and Methodology	17
Exhibit A4-15. Testing Approach and Methodology	18
Exhibit A4-16. Testing Approach and Methodology	19
Exhibit A4-17. Testing Approach and Methodology	19
Exhibit A4-18. Testing Approach and Methodology	20
Exhibit A4-19. Testing Approach and Methodology	20
Exhibit A4-20. Testing Approach and Methodology	20
Exhibit A4-21. Testing Approach and Methodology	21






Exhibit A4-23. Test Cases	27
Exhibit A4-24. Test Cases	28
Exhibit A4-25. Test Cases	30
Exhibit A4-26. Test Cases	30
Exhibit A4-27. Test Cases	33
Exhibit A4-28. Test Cases	35
Exhibit A4-29. Test Cases	36
Exhibit A4-30. Test Cases	37
Exhibit A4-31. Test Cases	38
Exhibit A4-32. Test Cases	40
Exhibit A4-33. Test Cases	41
Exhibit A4-34. Test Cases	43
Exhibit A4-35. Test Cases	47
Exhibit A4-36. Test Cases	49
Exhibit A4-37. Test Cases	50
Exhibit A4-38. Test Cases	53
Exhibit A4-39. Test Cases	54



### ATTACHMENT 4 EIS SERVICES VERIFICATION TEST PLAN [L.30.2.4, M.2.2(4), E.2.2]

#### **A4.1 INTRODUCTION**


This Attachment presents MetTel's Services Verification Test Plan, which is based on the requirements defined in Section E.2.2 and includes test scenarios, test cases, test data sets, and acceptance criteria for each of the proposed EIS services defined in





Contract Number: GS00Q17NSD3007 Modification Number: P00147 Effective Date: 08/13/2019

A4.2 METTEL'S TESTING METHODOLOGY





#### Exhibit A4-2. MetTel's Services Testing Process


The objective of MetTel's Services Testing is to ensure that services as delivered
operate properly, meet end-to-end performance requirements, and include all ordered
features and functions.
·
We have extensive experience performing service testing
across our entire product suite and customer base.

The testing process begins with a review of the Task Order to determine the services and features that are associated with the specific service. Any special or unique requirements specified in the Task Order are also noted. If special testing procedures are requested by the Task Order, the testing process for the service is modified accordingly.

The installed Service Related Equipment (SRE) is then reviewed to ensure that it conforms to SREs specified in the Task Order. Next, the configuration of the SREs is verified to ensure that it is correct. Any configuration errors are corrected and documented during this process.

Following completion of this step, access is reviewed to ensure conformity to the Task Order in all respects including protocols, bandwidth, service features, security requirements, diversity, etc. Tests are then performed on access to ensure it is fully operational and meets the functional requirements of the specified in the Task Order. We supply all necessary test equipment including data terminals, load boxes, test cables, and any other hardware and software required to complete all aspects of EIS services verification testing.

The next step is to execute the service test(s) specified in the sections below, including the application of the specified test cases for that service. In addition to verifying basic features and functionality, compliance with specified KPIs for the service is verified. Then the ATO for FISMA-related security requirements is verified.





If the service passes all test criteria, the results are documented in the EIS Services Verification Testing Report, which shows that the tests for the service were completed successfully and the required certifications are in place. The Verification Testing Report is submitted to the Government for acceptance and approval.

If the service fails one or more acceptance tests, the services verification testing team determines the source of the problem. Such difficulties are usually caused either by software configuration or hardware problems. If the problem is determined to be hardware related, corrections are made to its configuration, cabling, plug-ins, or other factors as needed. The services tests are then repeated.

To determine if the problem is software configuration related, the network segments are isolated. Network tests are then conducted on the first segment. If that segment passes, tests are then performed on the next segment, etc. until the network problem has been identified. It is then corrected and the software is reconfigured. When this has been completed, the overall service tests are repeated.

If all network segments are tested and no problems are identified, the problem is referred to MetTel's Engineering Department. This could occur in cases where network segments all pass the required KPIs but the accumulated jitter, packet loss, and/or latency cause the end-to-end network tests to fail. Equipment difficulties could also cause testing failures.

Depending on the circumstances, the service may require re-engineering, modification to the SREs, configuration changes, or other action to enable it to pass services verification testing. In all such cases, resolving the underlying problem is given top priority so it can be resolved and the service turned over to the customer quickly. Typically, this is accomplished within 72 hours.

Throughout the EIS services verification testing process, Government representatives may observe all or part of our testing procedures.

Test scenarios, test cases, and acceptance criteria for each proposed service are presented in the sections below. When new services are added during the life of the EIS contract, new test approaches, test cases, and acceptance criteria are developed as needed and submitted to the Government for approval.



#### A4.2.2 Test Data Sets

We execute the test cases defined in this EIS Test Plan using test data sets developed that include real-world service conditions and actual locations. The content of these data sets varies depending on the service being tested. Using these data sets, we test all services and service features proposed in the Task Order.

#### A4.2.3 Services Acceptance

We understand that once verification testing is successfully completed, the Government may complete acceptance testing based on the acceptance criteria defined in the EIS Test Plan. Our acceptance test verifies satisfactory end-to-end service performance and proper operation of all ordered features and functions. We understand that performance is considered satisfactory when services, equipment, systems, and associated features and functions perform as specified in the contract and Task Order. We do not assign an effective billing date to an EIS Service until the Agency accepts it in accordance with the agreed-upon acceptance testing procedures described in the EIS Test Plan.

We understand that the Government reserves the right to perform additional tests to confirm proper operation of a delivered EIS service as defined by the Task Order. If the Government does not report a problem to MetTel during this test period, the effective billing date is the completion date on the SOCN. We do not begin billing for services if the Government rejects the services within 3 days of receipt of the SOCN. A longer period for test and acceptance may be specified in the Task Order. We issue a new SOCN for services after correcting the reasons for rejection.

We understand the service is considered accepted if the Government does not reject the service within the acceptance period defined above. We also understand that if the Government rejects the service, it may at its option:

- 1. Direct MetTel to repeat the procedure outlined above
- 2. Withdraw the service from acceptance testing
- 3. Direct MetTel to facilitate the return of the services to their original provider (for services transitioned or migrated from another contractor's network)
- 4. Request a replacement of the service (in whole or in part)
- 5. Cancel the service order without penalty



We also understand that:

#### **Exhibit A4-2. Outcomes of Testing Results**

#	Description
1.	If the Government exercises any of these options as a consequence of unacceptable acceptance testing results, all
	expenses incurred by the Government are borne by MetTel.
2.	If the Government elects option 1 above, MetTel immediately initiates corrective actions to remedy the problem reported
	on the trouble ticket and keeps the Government informed of progress. In such cases, the Government reserves the right
	to exercise option 2, 3, 4, or 5 at any time.
3.	If the Government elects any of the options above other than option 1, all expenses incurred by the Government,
	including recurring charges and Non-Recurring Charges (NRC) to return services to the previous network configuration,
	are borne by MetTel.
4.	In cases when the Government cannot successfully complete acceptance testing due to circumstances beyond the
	control of MetTel, MetTel notifies the Government of the details surrounding the deficiencies and the steps MetTel has
	taken to overcome the deficiencies.
5.	These cases are discussed between the Government and MetTel. On a case-by-case basis, the GSA CO or the OCO
	may choose to waive the acceptance testing or extend the testing period.
6.	Waiver of the acceptance testing may be considered in those instances when MetTel has demonstrated that the
	problems encountered are not the fault of MetTel, and the Government has determined that MetTel has taken all
	reasonable actions to correct all problems.
7.	The waiver issued by the GSA CO or the OCO specifies the grounds for the waiver. If the waiver is not granted, MetTel
	is obligated to continue to attempt correction of the deficiencies encountered to successfully accomplish the acceptance
	testing.

#### A4.2.4 **Deliverables**

Deliverables that are provided as part of Services Verification Testing include:

- MetTel provides an EIS Testing Report as defined in Section E.2.2.5 within 3 business days of service installation and testing
- As described above, MetTel submits updates to this Services Verification Test Plan for any new services that are added to the contract.




#### A4.3 TESTING APPROACH AND METHODOLOGY


The testing approach and methodology for each of our proposed services are described below.

### A4.3.1 Virtual Private Network Service (VPNS) – Testing Approach and Methodology

**Exhibit A4-3. Testing Approach and Methodology** 







#### A4.3.2 Ethernet Transport Service (ETS) – Testing Approach and Methodology

### A4.3.2.1 Ethernet Private Line Service (E-Line) – Testing Approach and Methodology

Exhibit A4-4. Testing Approach and Methodology



Enterprise Infrastructure Solutions (EIS)

2-A4-8




Contract Number: GS00Q17NSD3007 Modification Number: P00147 Effective Date: 08/13/2019



### A4.3.2.2 Ethernet Private LAN (E-LAN) Services – Testing Approach and Methodology


**Exhibit A4-5. Testing Approach and Methodology** 



Enterprise Infrastructure Solutions (EIS)

2-A4-10





Internet Protocol Service (IPS) – Testing Approach and Methodology A4.3.3 **Exhibit A4-6. Testing Approach and Methodology** 







### A4.3.4 Internet Protocol Voice Service (IPVS) – Testing Approach and Methodology

**Exhibit A4-7. Testing Approach and Methodology** 



Enterprise Infrastructure Solutions (EIS)

2-A4-12





# A4.3.5 Circuit Switched Voice Service (CSVS) – Testing Approach and Methodology

**Exhibit A4-8. Testing Approach and Methodology** 



Enterprise Infrastructure Solutions (EIS)


2-A4-13





A4.3.6 Colocated Hosting Service (CHS) – Testing Approach and Methodology


Exhibit A4-9. Testing Approach and Methodology



Enterprise Infrastructure Solutions (EIS)


2-A4-14





A4.3.7 Wireless Service (WS) – Testing Approach and Methodology

Exhibit A4-11. Testing Approach and Methodology




Enterprise Infrastructure Solutions (EIS)

2-A4-15




### A4.3.8 Managed Network Service (MNS) – Testing Approach and Methodology Exhibit A4-12. Testing Approach and Methodology



# A4.3.9 Unified Communication Service (UCS) – Testing Approach and Methodology

Exhibit A4-13. Testing Approach and Methodology







A4.3.10 Managed Trusted Internet Protocol Service (MTIPS) – Testing Approach and Methodology

Exhibit A4-14. Testing Approach and Methodology



Enterprise Infrastructure Solutions (EIS)

2-A4-17



A4.3.11 Managed Security Service (MSS) – Testing Approach and Methodology


Exhibit A4-15. Testing Approach and Methodology



Enterprise Infrastructure Solutions (EIS)

2-A4-18

Contract Number: GS00Q17NSD3007 Modification Number: P00147 Effective Date: 08/13/2019



A4.3.12 Managed Mobility Service (MMS) – Testing Approach and Methodology

Exhibit A4-16. Testing Approach and Methodology





### A4.3.13 DHS Intrusion Prevention Security Service (IPSS) – Testing Approach and Methodology

Exhibit A4-17. Testing Approach and Methodology




A4.3.14 Access Arrangements (AA) – Testing Approach and Methodology

Exhibit A4-18. Testing Approach and Methodology




A4.3.15 Service Related Equipment (SRE) – Testing Approach and Methodology

Exhibit A4-19. Testing Approach and Methodology








A4.3.16 Service Related Labor (SRL) – Testing Approach and Methodology

Exhibit A4-20. Testing Approach and Methodology




A4.3.17 Cable and Wiring (CW) – Testing Approach and Methodology

Exhibit A4-21. Testing Approach and Methodology



A4.3.18 Toll Free Service (TFS) – Testing Approach and Methodology

Exhibit A4.3.18-1. TFS Testing Approach and Methodology





Contract Number: GS00Q17NSD3007 Modification Number: P00147

Effective Date: 08/13/2019



### A4.3.19 Circuit Switched Data Service (CSDS) – Testing Approach and Methodology

Exhibit A4.3.19-1. CSDS Testing Approach and Methodology



# A4.3.20 Audio Conferencing Service (ACS) – Testing Approach and Methodology

Exhibit A4.3.20-1. ACS Testing Approach and Methodology



Enterprise Infrastructure Solutions (EIS)


2-A4-23





A4.3.21 Private Line Service (PLS) – Testing Approach and Methodology

Exhibit A4.3.21-1. PLS Testing Approach and Methodology



Enterprise Infrastructure Solutions (EIS)


2-A4-24





A4.3.22 Optical Wave Service (OWS) – Testing Approach and Methodology


Exhibit A4.3.22-1. OWS Testing Approach and Methodology





### A4.3.23 Synchronous Optical Network Service (SONETS) – Testing Approach and Methodology

Exhibit A4.3.23-1. SONETS Testing Approach and Methodology



A4.3.24 Dark Fiber Service (DFS) – Testing Approach and Methodology

Exhibit A4.3.24-1. DFS Testing Approach and Methodology




Enterprise Infrastructure Solutions (EIS)

2-A4-26



Contract Number: GS00Q17NSD3007 Modification Number: P00147 Effective Date: 08/13/2019





#### A4.4 TEST CASES

The test cases for each of MetTel's proposed services are described below. All test cases are pass/fail.

#### A4.4.1 VPNS Service – Test Cases

Exhibit A4-22. Test Cases



### A4.4.2 Ethernet Transport Service (ETS) – Test Cases

### A4.4.2.1 Ethernet Private Line Service (E-Line) – Test Cases

**Exhibit A4-10. Test Cases** 




Enterprise Infrastructure Solutions (EIS)

2-A4-28

Contract Number: GS00Q17NSD3007 Modification Number: P00147

Effective Date: 08/13/2019




A4.4.2.2 Ethernet Private LAN (E-LAN) Services – Test Cases
Exhibit A4-24. Test Cases






Contract Number: GS00Q17NSD3007 Modification Number: P00147

Effective Date: 08/13/2019








<sup>\*</sup> Executed only if the specified functionality is included in the Task Order.


### A4.4.3 Internet Protocol Service (IPS) – Test Cases

Exhibit A4-25. Test Cases




A4.4.4 IP Voice Service (IPVS) – Test Cases

Exhibit A4-26. Test Cases






Effective Date: 08/13/2019




Enterprise Infrastructure Solutions (EIS)

2-A4-32





Contract Number: GS00Q17NSD3007 Modification Number: P00147 Effective Date: 08/13/2019



<sup>\*</sup> Executed only if Managed LAN Service is included in the Task Order.

## A4.4.5 Circuit Switched Voice Service (CSVS) – Test Cases Exhibit A4-27. Test Cases







Modification Number: P00147 Effective Date: 08/13/2019




Colocated Hosting Service (CHS) – Test Cases A4.4.6

Exhibit A4-28. Test Cases



Enterprise Infrastructure Solutions (EIS)

2-A4-36







Wireless Service - Test Cases A4.4.7

Exhibit A4-29. Test Cases




Enterprise Infrastructure Solutions (EIS)

2-A4-37

Effective Date: 08/13/2019



A4.4.8 Managed Network Service (MNS) – Test Cases
Exhibit A4-30. Test Cases



Enterprise Infrastructure Solutions (EIS)

2-A4-38







### A4.4.9 Unified Communication Service (UCS) – Test Cases

#### Exhibit A4-31. Test Cases






A4.4.10 Managed Trusted Internet Protocol Service (MTIPS) – Test Cases Exhibit A4-32. Test Cases








A4.4.11 Managed Security Service (MSS) – Test Cases






Effective Date: 08/13/2019



Enterprise Infrastructure Solutions (EIS)


2-A4-43








# A4.4.12 Managed Mobility Service (MMS) – Test Cases Exhibit A4-34. Test Cases











Effective Date: 08/13/2019



Enterprise Infrastructure Solutions (EIS)

2-A4-47





A4.4.13 DHS Intrusion Prevention Security Service (IPSS) – Test Cases Exhibit A4-35. Test Cases




Enterprise Infrastructure Solutions (EIS)

MetTel

2-A4-48

Effective Date: 08/13/2019



Enterprise Infrastructure Solutions (EIS)

2-A4-49

Effective Date: 08/13/2019



A4.4.14 Toll Free Service (TFS) – Test Cases

Exhibit A4-36. Test Cases







1. TFS availability is calculated as a percentage of the total reporting interval time that ACS is operationally available to the agency. Availability is computed by the standard formula:

$$Availability = \frac{RI(HR) - COT(HR)}{RI(HR)} \times 100$$

2. Grade of Service (Call Blockage) is the proportion of calls that cannot be completed during the busy hour because of limits in the call handling capacity of one or more network elements (e.g., "All trunks busy" condition). For example, 0.01 indicates that 1 percent of the calls are not being completed (1 out of 100 calls).



## A4.4.15 Circuit Switched Data Service – Test Cases Exhibit A4-37. Test Cases





Contract Number: GS00Q17NSD3007 Modification Number: P00147 Effective Date: 08/13/2019


1. CSDS availability is calculated as a percentage of the total reporting interval time that CSDS is operationally available to the agency. Availability is computed by the standard formula:



 Grade of Service (Call Blockage) is the proportion of calls that cannot be completed during the busy hour because of limits in the call handling capacity of one or more network elements (e.g., "All trunks busy" condition). For example, 0.01 indicates that 1 percent of the calls are not being completed (1 out of 100 calls).



### A4.4.16 Audio Conferencing Service – Test Cases Exhibit A4-38. Test Cases



Notes:

1. ACS availability is calculated as a percentage of the total reporting interval time that ACS is operationally available to the agency. Availability is computed by the

2. GOS (Operator Assistance Response Delay) is the delay experienced by conference participants to receive operator assistance during a conference. Delay is measured as the interval between the end of signaling (e.g., dialing for operator assistance) and the receipt of voice response from the operator.



### A4.4.17 Private Line Service (PLS) – Test Cases

#### Exhibit A4-39. Test Cases




#### Notes:

1. PLS availability is calculated as a percentage of the total reporting interval time that PLS is operationally available to the agency. Availability is computed by the standard formula:






## A4.4.18 Optical Wave Service (OWS) – Test Cases Exhibit A4-40. OWS Test Cases



### A4.4.19 Synchronous Optical Network Service (SONETS) – Test Cases Exhibit A4-41. SONETS Test Cases



### A4.4.20 Dark Fiber Services (DFS) - Test Cases





Contract Number: GS00Q17NSD3007 Modification Number: P00147 Effective Date: 08/13/2019